WELLS PERMITTED

Utah Division of Oil, Gas and Mining

APPLICATIONS FOR PERMIT TO DRILL APPROVED DURING JANUARY 2000

| COI | JNT | /· C | ' A D | BO | N |
|------|---------|-------|-------|-----|----|
| ulli | JIN I 1 | r = \ | AR | נום | IV |

ANADARKO PETROLEUM CORP CLAWSON SPRING ST D-1 API: 4300730638 SWNW 30 15.0S 09.0E WORK TYPE: DRILL ELEVATION: 6616 GR SURFACE: 1615 FNL 1109 FWL PROPOSED DEPTH: 3996 PROPOSED ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED ANADARKO PETROLEUM CORP CLAWSON SPRING ST D-2 API: 4300730639 NWSW 30 15.0S 09.0E WORK TYPE: DRILL ELEVATION: 6637 GR SURFACE: 1560 FSL 1294 FWL PROPOSED DEPTH: 3962 PROPOSED ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED ANADARKO PETROLEUM CORP **CLAWSON SPRING ST D-4** 30 15.0S 09.0E API: 4300730641 SESE WORK TYPE: DRILL ELEVATION: 6578 GR SURFACE: 1109 FSL 1199 FEL PROPOSED DEPTH: 3903 PROPOSED ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED ANADARKO PETROLEUM CORP **CLAWSON SPRING ST D-7** API: 4300730644 31 15.0S 09.0E NWNF WORK TYPE: DRILL ELEVATION: 6478 GR SURFACE: 0736 FNL 1634 FEL PROPOSED DEPTH: 3783 PROPOSED ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED SWSW 13 15.0S 08.0E RIVER GAS CORPORATION USA 13-418 API: 4300730645 SURFACE: 0737 FSL 0793 FWL WORK TYPE: DRILL ELEVATION: 6818 GR PROPOSED DEPTH: 3990 PROPOSED ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED RIVER GAS CORPORATION USA 14-416 API: 4300730646 SWSW 14 15.0S 08.0E SURFACE: 0892 FSL 1311 FWL WORK TYPE: DRILL ELEVATION: 7128 GR PROPOSED DEPTH: 4250 PROPOSED ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED RIVER GAS CORPORATION USA 14-417 API: 4300730647 NESE 14 15.0S 08.0E WORK TYPE: DRILL ELEVATION: 6818 GR SURFACE: 1741 FSL 1054 FEL PROPOSED ZONE: FERRON SANDSTONE PROPOSED DEPTH: 3990 FIELD: UNDESIGNATED USA 24-444 24 15.0S 08.0E RIVER GAS CORPORATION API: 4300730648 SWMW ELEVATION: SURFACE: 1338 FNL 1153 FWL WORK TYPE: DRILL 6850 GR PROPOSED DEPTH: 4000 PROPOSED ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED RIVER GAS CORPORATION USA 11-441 API: 4300730649 NWSW 11 15.0S 08.0E WORK TYPE: DRILL ELEVATION: 7126 GR SURFACE: 2038 FSL 0712 FWL PROPOSED DEPTH: 4000 PROPOSED ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED

Page 1 02/14/00

RIVER GAS CORPORATION

WORK TYPE: DRILL

USA 23-445

ELEVATION: 70 PROPOSED DEPTH: 4200

API: 4300730650 ELEVATION: 7063 GR

PROPOSED ZONE: FERRON SANDSTONE

SENW 23 15.0S 08.0E SURFACE: 0814 FNL 1926 FWL FIELD: UNDESIGNATED

COUNTY: DUCHESNE

UTE TRIBAL 2-19 API: 4301332140 BARRETT RESOURCES CORP NWNF 19 05.0S 04.0 ELEVATION: 6676 GR SURFACE: 0381 FNL 1846 FEL WORK TYPE: DRILL

PROPOSED DEPTH: 5970 PROPOSED ZONE: DOUGLAS CREEK FIELD: BRUNDAGE CANYON

BARRETT RESOURCES CORP UTE TRIBAL 4-20 API: 4301332141 NWNW 20 05.0S 04.0 ELEVATION: 6622 GR WORK TYPE: DRILL SURFACE: 0598 FNL 0995 FWL PROPOSED DEPTH: 5985 PROPOSED ZONE: DOUGLAS CREEK FIELD: BRUNDAGE CANYON

BARRETT RESOURCES CORP **UTE TRIBAL 6-20** API: 4301332142 SENW 20 05.0S 04.0 WORK TYPE: DRILL ELEVATION: 6656 GR SURFACE: 1850 FNL 1780 FWL

PROPOSED DEPTH: 5995 PROPOSED ZONE: DOUGLAS CREEK FIFLD: BRUNDAGE CANYON

BARRETT RESOURCES CORP **UTE TRIBAL 9-18** API: 4301332144 NESE 18 05.0S 04.0 ELEVATION: 6534 GR WORK TYPE: DRILL SURFACE: 1807 FSL 0654 FEL PROPOSED DEPTH: 5945 PROPOSED ZONE: DOUGLAS CREEK FIELD: UNDESIGNATED

UTE TRIBAL 11-17 NESW 17 05.0S 04.0 BARRETT RESOURCES CORP API: 4301332145 WORK TYPE: DRILL ELEVATION: 6499 GR SURFACE: 1980 FSL 1980 FWL

PROPOSED DEPTH: 5985 PROPOSED ZONE: DOUGLAS CREEK FIELD: UNDESIGNATED

BARRETT RESOURCES CORP WORK TYPE: DRILL ELEVATION: 6524 GR UTE TRIBAL 12-17 API: 4301332146 NWSW 17 05.0S 04.0 SURFACE: 2000 FSL 0660 FWL PROPOSED DEPTH: 5980 PROPOSED ZONE: DOUGLAS CREEK FIELD: UNDESIGNATED

BARRETT RESOURCES CORP UTE TRIBAL 14-17 API: 4301332147 SESW 17 05.0S 04.0 ELEVATION: 6484 GR WORK TYPE: DRILL SURFACE: 0908 FSL 1621 FWL

PROPOSED DEPTH: 5920 PROPOSED ZONE: DOUGLAS CREEK FIELD: UNDESIGNATED

UTE TRIBAL 15-18 API: 4301332148 SWSE 18 05.0S 04.0 BARRETT RESOURCES CORP WORK TYPE: DRILL ELEVATION: 6590 GR SURFACE: 0748 FSL 1836 FEL PROPOSED DEPTH: 5955

PROPOSED ZONE: DOUGLAS CREEK FIELD: UNDESIGNATED

INLAND PRODUCTION COMPANY API: 4301332124 SWNW 02 09.0S 16.0E S WELLS DRAW 5-2-9-16 WORK TYPE: DRILL ELEVATION: 5522 GR SURFACE: 2170-FNL 0675-FWL PROPOSED DEPTH: 6500 PROPOSED ZONE: GREEN RIVER FIELD: MONUMENT BUTTE

INLAND PRODUCTION COMPANY S WELLS DRAW 11-2-9-16 API: 4301332125 NESW 02 09.0S 16.0E ELEVATION: 5515 GR WORK TYPE: DRILL SURFACE: 1980-FSL 1967-FWL PROPOSED DEPTH: 6500 PROPOSED ZONE: GREEN RIVER FIELD: MONUMENT BUTTE

02/14/00 Page 2

| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | S WELLS DRAW 12-2-9-16 ELEVATION: 5544 GR PROPOSED ZONE: GREEN RIVER | API: 4301332126 | NWSW 02 09.0S 16.0E SURFACE: 1860-FSL 0510-FWL FIELD: MONUMENT BUTTE |
|---|---|-----------------|--|
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | S WELLS DRAW 13-2-9-16 ELEVATION: 5562 GR PROPOSED ZONE: GREEN RIVER | API: 4301332127 | SWSW 02 09.0S 16.0E SURFACE: 0696-FSL 0644-FWL FIELD: MONUMENT BUTTE |
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | S WELLS DRAW 14-2-9-16 ELEVATION: 5547 GR PROPOSED ZONE: GREEN RIVER | API: 4301332128 | SESW 02 09.0S 16.0E SURFACE: 0725-FSL 1980-FWL FIELD: MONUMENT BUTTE |
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | WELLS DRAW 8-5-9-16 ELEVATION: 5776 GR PROPOSED ZONE: GREEN RIVER | API: 4301332132 | SENE 05 09.0S 16.0E SURFACE: 1809 FNL 0588 FEL FIELD: MONUMENT BUTTE |
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | WELLS DRAW 10-5-9-16 ELEVATION: 5843 GR PROPOSED ZONE: GREEN RIVER | API: 4301332133 | NWSE 05 09.0S 16.0E SURFACE: 1787 FSL 2034 FEL FIELD: MONUMENT BUTTE |
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | GREATER BOUNDARY 11-28-8-17 ELEVATION: 5124 GR PROPOSED ZONE: GREEN RIVER | API: 4301332134 | NESW 28 08.0S 17.0E SURFACE: 1695 FSL 1882 FWL FIELD: MONUMENT BUTTE |
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | PLEASANT VALLEY 15-9-9-17 ELEVATION: 5249 GR PROPOSED ZONE: GREEN RIVER | API: 4301332135 | SWSE 09 09.0S 17.0E SURFACE: 0661 FSL 1983 FEL FIELD: MONUMENT BUTTE |
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | S WELLS DRAW 3-3-9-16 ELEVATION: 5622 GR PROPOSED ZONE: GREEN RIVER | API: 4301332136 | NENW 03 09.0S 16.0E SURFACE: 0469 FNL 2170 FWL FIELD: MONUMENT BUTTE |
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | S WELLS DRAW 6-3-9-16 ELEVATION: 5573 GR PROPOSED ZONE: GREEN RIVER | API: 4301332137 | SENW 03 09.0S 16.0E SURFACE: 1813 FNL 1876 FWL FIELD: MONUMENT BUTTE |
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | S WELLS DRAW 11-3-9-16 ELEVATION: 5618 GR PROPOSED ZONE: GREEN RIVER | API: 4301332138 | NESW 03 09.0S 16.0E SURFACE: 2028 FSL 2008 FWL FIELD: MONUMENT BUTTE |
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | S WELLS DRAW 14-3-9-16 ELEVATION: 5615 GR PROPOSED ZONE: GREEN RIVER | API: 4301332139 | SESW 03 09.0S 16.0E SURFACE: 0847 FSL 1952 FWL FIELD: MONUMENT BUTTE |

Page 3 02/14/00

COUNTY: UINTAH

| BALLARD PETROLEUM LLC WORK TYPE: DRILL PROPOSED DEPTH: 8500 | FEDERAL 24-31 ELEVATION: 4844 GR PROPOSED ZONE: MESAVERDE | API: 4304733451 | SESW 31 08.0S 23.0E SURFACE: 0508 FSL 2036 FWL FIELD: UNDESIGNATED |
|---|--|-----------------|--|
| BALLARD PETROLEUM LLC WORK TYPE: DRILL PROPOSED DEPTH: 8750 | FEDERAL 44-30 ELEVATION: 4877 GR PROPOSED ZONE: MESAVERDE | API: 4304733452 | SESE 30 08.0S 23.0E SURFACE: 0900 FSL 0500 FEL FIELD: UNDESIGNATED |
| BALLARD PETROLEUM LLC WORK TYPE: DRILL PROPOSED DEPTH: 8400 | FEDERAL 44-31 ELEVATION: 4871 GR PROPOSED ZONE: MESAVERDE | API: 4304733453 | SESE 31 08.0S 23.0E SURFACE: 0478 FSL 0712 FEL FIELD: UNDESIGNATED |
| BALLARD PETROLEUM LLC WORK TYPE: DRILL PROPOSED DEPTH: 8600 | FEDERAL 44-36 ELEVATION: 4842 GR PROPOSED ZONE: MESAVERDE | API: 4304733454 | SESE 36 08.0S 22.0E SURFACE: 0839 FSL 0738 FEL FIELD: NATURAL BUTTES |
| COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 11300 | TRIBAL 31-98 ELEVATION: 4710 GR PROPOSED ZONE: CASTLEGATE | API: 4304733375 | NWSE 31 08.0S 22.0E SURFACE: 1795 FSL 2119 FEL FIELD: NATURAL BUTTES |
| COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 11425 | MCCOOK 1-142 ELEVATION: 4689 GR PROPOSED ZONE: CASTLEGATE | API: 4304733455 | NENW 01 09.0S 21.0E SURFACE: 0580 FNL 2220 FWL FIELD: NATURAL BUTTES |
| COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 8900 | TRIBAL 6-135 ELEVATION: 4702 GR PROPOSED ZONE: MESAVERDE | API: 4304733456 | NENW 06 09.0S 22.0E SURFACE: 0891 FNL 2054 FWL FIELD: NATURAL BUTTES |
| COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 8900 | UTE TRIBAL 6-138 ELEVATION: 4698 GR PROPOSED ZONE: MESAVERDE | API: 4304733457 | SENW 06 09.0S 22.0E SURFACE: 2100 FNL 0981 FWL FIELD: NATURAL BUTTES |
| COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 11300 | TRIBAL 6-139 ELEVATION: 4699 GR PROPOSED ZONE: CASTLEGATE | API: 4304733458 | NWSW 06 09.0S 22.0E SURFACE: 2092 FSL 0780 FWL FIELD: NATURAL BUTTES |
| COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 9050 | TRIBAL 6-140 ELEVATION: 4699 GR PROPOSED ZONE: MESAVERDE | API: 4304733459 | NESW 06 09.0S 22.0E SURFACE: 2079 FSL 1871 FWL FIELD: NATURAL BUTTES |
| COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 8900 | TRIBAL 31-128 ELEVATION: 4711 GR PROPOSED ZONE: MESAVERDE | API: 4304733460 | SESE 31 08.0S 22.0E SURFACE: 0505 FSL 0515 FEL FIELD: NATURAL BUTTES |

Page 4 02/14/00

| COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 11425 | TRIBAL 31-129 ELEVATION: 4712 GR PROPOSED ZONE: CASTLEGATE | API: 4304733461 | NESE 31 08.0S 22.0E SURFACE: 1960 FSL 0625 FEL FIELD: NATURAL BUTTES |
|---|---|-----------------|--|
| COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 11425 | TRIBAL 31-132 ELEVATION: 4712 GR PROPOSED ZONE: CASTLEGATE | API: 4304733462 | NWSW 31 08.0S 22.0E SURFACE: 1984 FSL 1047 FWL FIELD: NATURAL BUTTES |
| COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 11500 | NBU 294X ELEVATION: 4909 GR PROPOSED ZONE: CASTLEGATE | API: 4304733465 | NENW 22 09.0S 20.0E SURFACE: 1132 FNL 1398 FWL FIELD: NATURAL BUTTES |
| DEL-RIO RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 6384 | CHIMNEY ROCK 32-2 ELEVATION: 6482 GR PROPOSED ZONE: CASTLEGATE | API: 4304733441 | NWNE 32 13.0S 21.0E SURFACE: 0613 FNL 1932 FEL FIELD: WILDCAT |
| DEL-RIO RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 6584 | CHIMNEY ROCK 32-3 ELEVATION: 6523 GR PROPOSED ZONE: CASTLEGATE | API: 4304733442 | NENW 32 13.0S 21.0E SURFACE: 0719 FNL 1856 FWL FIELD: WILDCAT |
| DEL-RIO RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 10880 | CHIMNEY ROCK 32-6 ELEVATION: 6555 GR PROPOSED ZONE: MORRISON | API: 4304733443 | SENW 32 13.0S 21.0E SURFACE: 2121 FNL 1896 FWL FIELD: WILDCAT |
| DEL-RIO RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 10884 | CHIMNEY ROCK 32-10 ELEVATION: 6551 GR PROPOSED ZONE: MORRISON | API: 4304733444 | NWSE 32 13.0S 21.0E SURFACE: 1801 FSL 2088 FEL FIELD: WILDCAT |
| DEL-RIO RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 6309 | CHIMNEY ROCK 32-11 ELEVATION: 6576 GR PROPOSED ZONE: CASTLEGATE | API: 4304733445 | NESW 32 13.0S 21.0E SURFACE: 2116 FSL 2081 FWL FIELD: WILDCAT |
| DEL-RIO RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 10979 | CHIMNEY ROCK 32-12 ELEVATION: 6563 GR PROPOSED ZONE: MORRISON | API: 4304733446 | NWSW 32 13.0S 21.0E SURFACE: 1781 FSL 0501 FWL FIELD: WILDCAT |
| DEL-RIO RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 6284 | CHIMNEY ROCK 32-13 ELEVATION: 6595 GR PROPOSED ZONE: CASTLEGATE | API: 4304733447 | SWSW 32 13.0S 21.0E SURFACE: 0845 FSL 0846 FWL FIELD: WILDCAT |
| DEL-RIO RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 10900 | CHIMNEY ROCK 32-14 ELEVATION: 6581 GR PROPOSED ZONE: MORRISON | API: 4304733448 | SESW 32 13.0S 21.0E SURFACE: 0520 FSL 1958 FWL FIELD: WILDCAT |
| EOG RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 6365 | OSCU II 108-27 ELEVATION: 5225 GR PROPOSED ZONE: WASATCH | API: 4304733463 | NENE 27 10.0S 19.0E SURFACE: 0461 FNL 0830 FEL FIELD: NATURAL BUTTES |

Page 5 02/14/00

| EOG RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 6250 | OSCU II 109-27 ELEVATION: 5274 GR PROPOSED ZONE: WASATCH | API: 4304733464 | SWSE 27 10.0S 19.0E SURFACE: 0482 FSL 1992 FEL FIELD: NATURAL BUTTES |
|---|---|-----------------|---|
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | CASTLE DRAW 9-2-9-17 ELEVATION: 5018 GR PROPOSED ZONE: GREEN RIVER | API: 4304733238 | NESE 02 09.0S 17.0E SURFACE: 2073-FSL 0770-FEL FIELD: 8 MILE FLAT NORTH |
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | CASTLE DRAW 15-2-9-17 ELEVATION: 5066 GR PROPOSED ZONE: GREEN RIVER | API: 4304733239 | SWSE 02 09.0S 17.0E SURFACE: 0661-FSL 1980-FEL FIELD: 8 MILE FLAT NORTH |
| INLAND PRODUCTION COMPANY WORK TYPE: DRILL PROPOSED DEPTH: 6500 | CASTLE DRAW 16-2-9-17 ELEVATION: 5058 GR PROPOSED ZONE: GREEN RIVER | API: 4304733240 | SESE 02 09.0S 17.0E SURFACE: 0660-FSL 0660-FEL FIELD: 8 MILE FLAT NORTH |

Page 6 02/14/00